

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

Issued to: PFLITSCH GmbH & Co. KG
Ernst-Pflitsch-Strasse 1 Hueckeswagen
Germany 42499

This is to certify that
representative samples of QCRV2 - Outlet Bushings and Fittings - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: UL 514B, 6th Ed., Issue Date: 2012-07-13, Revision Date: 2020-05-22

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
149pm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
149stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152pm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152pm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151pm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151pm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151pm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahesh

Bruce Mahesh, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

151pm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15253pm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15253stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152pm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152pm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152pm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152stpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354pm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

153pm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
153pm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
153stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
153stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455pm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455pm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154pm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556pm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

155pm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
155pm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
155stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
155stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156pm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158pm18x7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
158pm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158stpm18x7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
158stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
179pm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
179stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180pm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180pm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180pm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

180pm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152pm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152pm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18253pm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18253stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

182pm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182pm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182pm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182stpm8x1.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
18354pm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18354pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18354stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18354stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183pm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183pm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18455pm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18455pm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

18455stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18455stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184pm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556pm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185pm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185pm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
186pm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
186pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

186stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
186stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188pm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188pm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188stpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21249dpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21249stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250dpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250dpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650dpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650dpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

21651dpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21651dpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21651stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21651stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652dpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652dpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051dpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051dpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052dpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052dpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052dpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

22052stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052stpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22053dpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22053stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553dpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553dpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554dpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23254dpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23254dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

23254stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23254stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255dpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255dpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055dpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055dpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056dpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
25056dpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

25056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
25056stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
25056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358dpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358dpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
26358dppm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
26358stpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31249dpm2x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31249stpm2x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250dpm3x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250dpm5x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250stpm3x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250stpm5x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31650dpm3x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31650dpm4x3.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31650stpm3x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

31650stpm4x3.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651dpm2x6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651dpm6x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651stpm2x6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651stpm6x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652dpm3x5.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652dpm8x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652stpm3x5.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652stpm8x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051dpm2x2.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051dpm4x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051stpm2x2.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051stpm4x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052dpm10x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052dpm18x2.4, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052dpm8x1.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052stpm10x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052stpm18x2.4, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052stpm8x1.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32053dpm9x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32053stpm9x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32553dpm13x2.7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32553dpm3x4.6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

32553stpm13x2.7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32553stpm3x4.6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554dpm24x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554dpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554stpm24x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554stpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254dpm21x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254dpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254stpm21x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254stpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255dpm24x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255dpm5x10, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255stpm24x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255stpm5x10, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055dpm16x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055dpm3x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055stpm16x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055stpm3x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056dpm10x6.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056stpm10x6.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
35056dpm16x16, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

35056dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
35056stpm16x16, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
35056stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358dppm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358stpm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
81249dpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81249stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250dpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250dpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650dpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650dpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

81651dpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81651dpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81651stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81651stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652dpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652dpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051dpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051dpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052dpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052dpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052dpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
 Report Reference E216848-20020131
 Date 22-Jun-2021

82052stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052stpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82053dpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82053stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553dpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553dpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554dpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83254dpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83254dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

83254stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83254stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255dpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255dpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055dpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055dpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056dpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
85056dpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L216848-21-13102002-2
Report Reference E216848-20020131
Date 22-Jun-2021

85056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
85056stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
85056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358dpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358dpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
86358dppm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
86358stpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L216848-21-13102002-1
Report Reference E216848-20020131
Date 22-Jun-2021

Issued to: PFLITSCH GmbH & Co. KG
Ernst-Pflitsch-Strasse 1 Hueckeswagen
Germany 42499

This is to certify that
representative samples of QCRV8 - Outlet Bushings and Fittings Certified for Canada
- Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA C22.2 NO. 18.3-12, 2nd Ed., Issue Date: 2012-07-01,
Revision Date: 2020-05-22

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark.
Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified
and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
149pm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
149stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150pm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
150stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152pm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152pm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15152stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151pm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151pm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151pm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

151pm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
151stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15253pm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15253stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152pm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152pm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152pm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
152stpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354pm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15354stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

153pm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
153pm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
153stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
153stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455pm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455pm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15455stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154pm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
154stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556pm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
15556stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

155pm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
155pm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
155stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
155stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156pm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
156stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158pm18x7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
158pm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158stpm18x7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
158stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
158stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
179pm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
179stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180pm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180pm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180pm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

180pm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
180stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152pm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152pm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18152stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181pm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
181stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18253pm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18253stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

182pm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182pm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182pm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
182stpm8x1.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
18354pm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18354pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18354stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18354stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183pm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183pm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
183stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18455pm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18455pm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

18455stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18455stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184pm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184pm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
184stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556pm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
18556stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185pm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185pm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
185stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
186pm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
186pm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

186stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
186stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188pm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188pm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188stpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
188stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21249dpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21249stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250dpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250dpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21250stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650dpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650dpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21650stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenholz

Bruce Mahlenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

21651dpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21651dpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21651stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21651stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652dpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652dpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
21652stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051dpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051dpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22051stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052dpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052dpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052dpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

22052stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22052stpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22053dpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22053stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553dpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553dpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22553stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554dpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
22554stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23254dpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23254dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

23254stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23254stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255dpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255dpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
23255stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055dpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055dpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24055stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056dpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
24056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
25056dpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

25056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
25056stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
25056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358dpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358dpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
26358dppm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
26358stpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
26358stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31249dpm2x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31249stpm2x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250dpm3x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250dpm5x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250stpm3x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31250stpm5x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31650dpm3x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31650dpm4x3.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31650stpm3x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings

B. Mahlenholz

Bruce Mahlenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations>



CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

31650stpm4x3.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651dpm2x6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651dpm6x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651stpm2x6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31651stpm6x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652dpm3x5.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652dpm8x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652stpm3x5.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
31652stpm8x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051dpm2x2.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051dpm4x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051stpm2x2.3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32051stpm4x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052dpm10x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052dpm18x2.4, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052dpm8x1.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052stpm10x2, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052stpm18x2.4, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32052stpm8x1.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32053dpm9x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32053stpm9x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32553dpm13x2.7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32553dpm3x4.6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

32553stpm13x2.7, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32553stpm3x4.6, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554dpm24x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554dpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554stpm24x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
32554stpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254dpm21x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254dpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254stpm21x1.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33254stpm6x6.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255dpm24x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255dpm5x10, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255stpm24x3, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
33255stpm5x10, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055dpm16x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055dpm3x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055stpm16x3.5, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34055stpm3x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056dpm10x6.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056stpm10x6.8, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
34056stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
35056dpm16x16, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings

B. Mahlenholz

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutus/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

35056dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
35056stpm16x16, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
35056stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358dppm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358stpm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
36358stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
81249dpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81249stpm2x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250dpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250dpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250stpm3x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81250stpm5x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650dpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650dpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650stpm3x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81650stpm4x3.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlen

Bruce Mahlenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

81651dpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81651dpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81651stpm2x6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81651stpm6x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652dpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652dpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652stpm3x5.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
81652stpm8x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051dpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051dpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051stpm2x2.3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82051stpm4x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052dpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052dpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052dpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations>



CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

82052stpm10x2, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052stpm18x2.4, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82052stpm8x1.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82053dpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82053stpm9x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553dpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553dpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553stpm13x2.7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82553stpm3x4.6, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554dpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554stpm24x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
82554stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83254dpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83254dpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
 Report Reference **E216848-20020131**
 Date **22-Jun-2021**

83254stpm21x1.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83254stpm6x6.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255dpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255dpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255stpm24x3, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
83255stpm5x10, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055dpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055dpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055stpm16x3.5, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84055stpm3x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056dpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056stpm10x6.8, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
84056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
85056dpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings

B. Mahlenz

Bruce Mahlenz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations>



CERTIFICATE OF COMPLIANCE

Certificate Number **UL-CA-L216848-21-13102002-1**
Report Reference **E216848-20020131**
Date **22-Jun-2021**

85056dpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
85056stpm16x16, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
85056stpm4x13, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358dpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358dpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358dpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
86358dppm4x12, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings
86358stpm18x7, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358stpm4x12, Followed by /RU. May be followed by V4A. Letters in the product codes can be: dpm, LFpm, stpm.	Outlet Bushings and Fittings
86358stpm4x13, followed by /RU, all models may be followed by V4A	Outlet Bushings and Fittings



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>