



Certificate No:  
TAE00004DT

# TYPE APPROVAL CERTIFICATE

## This is to certify:

That the Cable Gland

with type designation(s)  
**blueglobe**

Issued to

**Pflitsch GmbH & Co. KG**  
Hückeswagen, Nordrhein-Westfalen, Germany

is found to comply with

**DNV rules for classification – Ships, offshore units, and high speed and light craft**

## Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Material	Plastic
Suitable for open deck	No
Suitable for Hazardous areas	No

Issued at **Hamburg** on **2021-11-02**

This Certificate is valid until **2026-11-01**.

DNV local station: **Essen**

Approval Engineer: **Carsten Hunsalz**



for DNV

Digitally Signed By: Schaarmann, Arne  
Location: DNV GL SE Hamburg, Germany  
Signing Date: 2021-11-03

**Arne Schaarmann**  
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Form code: TA 251

Revision: 2021-03

www.dnv.com

Page 1 of 2



Job Id: 262.1-021996-2  
Certificate No: TAE00004DT

## Product description

Cable gland blueglobe with connection thread M 12, 16, 20, 25, 32, 40, 50, 63,(75),(85)

Material : PA 66  
gasket material: TPE  
Ingress protection: IP 68 30min 15 bar  
Temperature: - 20°C up to +120°C

## Application/Limitation

Manufacturer's installation description, instructions and DNV rules to be followed.

Not to be used in bulkheads/decks or for penetrating boundaries of tanks.

Suitable for open deck: Yes

Degree of protection will be safeguarded only when sealing and cable entry fittings are properly fitted.  
The manufacturer's instructions must be followed.

## Type Approval documentation

Test report : PTB EX 06-15207 dated 2006-06-09  
VDE 610500-9030-0001/100382 dated 2008-05-05  
VDE 610500-9020-0001/102411 dated 2008-05-08  
VDE 610500-1492-0003/69198 dated 2006-04-13

## Tests carried out

Type tests in accordance with IEC 62444:2010

## Marking of product

Name of manufacturer – type designation.

## Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the Type approval are complied with and that no alterations are made to the product design or choice of materials.

The main elements of the assessment are:

- Inspection on factory samples, selected at random from the production line (where practicable)
- Results from Routine Tests (RT) checked (if not available tests according to RT to be carried out)
- Review of type approval documentation
- Review of possible change in design, materials and performance
- Ensuring traceability between manufacturer's product type marking and Type Approval Certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE